

Subject Index

- Accumulators (*see* Thermal storage)
- Adv. Mobile Telecom. Tech., Inc., 395
- Aerospace Corporation:
 - CSIM system design model, 717
 - flexure bearing trial results, 163
 - integration hardware developments, 671
 - space cryocooler overview, 1
- Air Force Research Lab (*formerly Phillips Lab*):
 - cooler endurance testing, 33
 - heat rejection effects, 723
 - MTI cooler system performance, 129
 - program overview, 21
- AIRS cryocooler development, 119, 771
- Ames Research Center (NASA):
 - dilution refrigerator, 647
 - pulse tube with inertance tube, 291
 - pulse tube modeling, 351
- Ames Laboratory (Iowa State Univ.), 629
- APD Cryogenics:
 - 10K BETSCE cryostat, 535
 - mixed gas refrigerant optimization, 457
- Applications of cryocoolers (*see* Integration with cryocoolers)
- Argonne National Lab, 847
- Arizona State University, 663, 753
- Ball Aerospace cryocoolers:
 - 10K Hybrid J-T/Stirling, 1, **505**
 - 30K two-stage Stirling, 1
 - 35K/60K three-stage Stirling, 1, 21, **59**
 - 1.5W-55K HIRDLS Stirling, 1, **761**
 - COOLLAR closed-cycle J-T, 1, 21, **449**
- Bearings:
 - Aerospace flexure, 163
- BEI:
 - 1W tactical pulse tube cooler, 191
 - 0.3W 78K tactical Stirling, 105
- BETSCE, 21, 1, **535**
- Brayton cycle cryocoolers (*see* Reverse-Brayton cryocoolers)
- British Aerospace (BAe) cryocoolers (*see* Matra Marconi cryocoolers)
- California Institute of Technology, 795
- CEA/DRFMC (France):
 - inertance & DC flow in pulse tubes, 281
- Chinese Academy of Sciences, Cryogenics Lab:
 - 2-stage coaxial pulse tube, 233
 - compact coaxial pulse tube, 197
 - miniature multi-bypass coaxial PT, 205
 - mixed gas experiments for J-Ts, 481
 - pulse tube long-term stability, 337
- Chiyoda Corp., 321
- Compressors:
 - linear motor for, 111
 - flexure bearings for, 163
- Concurrent Technology Corp., 621
- Conductance measurements of:
 - Kapton MT, 753
- Contamination:
 - accelerated testing for, 743
 - effect on pulse tube cooler, 337, 343
 - internal outgassing rate, 733
- COOLLAR, 1, 21, **449**
- Creare Cryocoolers:
 - 35K reverse-Brynton, 1, **421**
 - 5W-65K reverse-Brayton, 1
 - 65K SSC Stirling cooler, 1
 - NICMOS rev-Brayton, 1, 21, **431**
 - miniature reverse-Brayton, 21
- Cryenco, 315
- CRYOBUS, 21
- Cryocooler applications (*see* Integration of cryocoolers)
- Cryocooler integration technologies (*see* Integration of cryocoolers)
- CRYOTSU, 21, **671**
- CSIM cryosystem design software, 21, **717**
- Daikin Industries:
 - 1-5W 80K pulse tube cooler, 149
 - 5-20W 80K pulse tube cooler, 213
- DC flow, effect on P-T efficiency, 163, 281, 299, 307, 315
- Decade Optical Systems, 77
- Diaphragm compressor:
 - Creare Stirling, 33
- Dilution refrigerator, 647, 795
- Eindhoven Univ. of Technology, 359
- Electric field emissions (*see* EMI/EMC measurements)
- Electromagnetic interference (*see* EMI/EMC measurements)

- Electronics:
 cooler drive and control, 139, 791, 771
- EMI/EMC measurements:
 AIRS pulse tube cryocooler, 771
 IMAS pulse tube cryocooler, 139
- Erbium regenerator materials, 611
- European Space (ESA-ESTEC) activities:
 4K hybrid J-T/Stirling development, 513
 4K hybrid J-T/Stirling life tests, 521
 pulse tube dc flow and inertance, 281
 space cooler integration experience, 781
- Flexure bearings (*see* Bearings)
- Fokker Space radiant cooler, 805
- Forschungszentrum Karlsruhe, 369
- Gas-gap heat switches (*see* Heat switches)
- General Electric MRI applications, 857
- Gifford-McMahon Cryocoolers:
 4K with Erbium regenerator materials, 497
 displacer stroke sensitivity at 4K, 575
 integration with MRI systems, 857
 multi-layer magnetic regenerators for, 581
 neodymium ribbon regenerator for, 621
 numerical simulation of, 593
- Goddard Space Flight Center (NASA):
 cooler integration technologies, 671
- HTS applications:
 binary current leads, 707
 magnetic bearings, 847
 magnetocardiography using SQUIDS, 837
- Heat exchangers:
 microchannel, 497
 perforated plate, 275
- Heat switches, 21, 671, 565
- Heat pipes, cryogenic, 671
- Heat conduction (*see* Conductance measurements)
- High temperature superconductor applications (*see* HTS applications)
- Hong Ik University, 707
- Illinois Inst. of Technology, 257
- IMAS pulse tube cooler, 1, 139
- Integration of cryocoolers with:
 bolometers, 795
 cryogenic loop heat pipes and CPLs, 671
 flight electronics, 771, 791
 heart scanner, 837
 HTS applications (*see* HTS applications)
 human and robotic missions to Mars, 815
 industrial applications, 823
 magnetic bearings, 847
 MRI systems, 857
 space experiments (*see* Space experiments)
 space instruments (*see* Space instruments)
 SQUIDS, 837
 systems integration software (CSIM), 717
 thermal storage, 87, 467, 671, 689, 697
 thermal switch, 671
- J-T cryocoolers:
 APD 10K BETSCE cryostat, 535
 APD mixed gas optimization, 457
 Ball closed-cycle COOLLAR, 449
 Ball hybrid 10K J-T/Stirling, 505
 BETSCE flight experiment, 1, 21, **535**
 Chinese mixed-refrigerant experiments, 481
 Dresden mixed gas w/ precooling, 475
 microchannel heat exchanger for J-T, 497
 MMR Technologies, 43
 porous plug J-T valve, 545
 RAL/MMS hybrid 4K J-T/Stirling, 513, 521
 SR&DB 5-10K hybrid J-T/Stirling, 529
 SR&DB 84-90K mixed gas cooler, 467
 SR&DB mixed gas study, 487
- Jet Propulsion Lab:
 AIRS cryocooler system performance, 119
 AIRS cryocooler EMI, 771
 contamination effects on pulse tubes, 343
 IMAS pulse tube cryocooler, 139
 porous plug J-T valve, 545
 TI 1W-80K cooler characterization, 95
- Joule-Thomson Cryocoolers (*see* J-T cryocoolers)
- Kapton MT conductance tests, 753
- Kharkov Polytechnic University:
 modeling wave coolers, 405
 outgassing rate study, 733
 teaching pulse tube design, 413
- Korea Adv. Inst. of Sci. and Tech., 249
- Life test results:
 Creare 65K reverse Brayton, 33
 Creare 65K diaphragm Stirling, 33
 NRL low cost coolers, 43
 RAL 4K hybrid J-T/Stirling, 521
 TRW 3585 pulse tube, 33
 TRW 6020 pulse tube, 33
- Linear motor, variable reluctance, 111
- Lockheed Martin IR Imaging Systems:
 AIRS cryocooler system performance, 119
- Lockheed Martin Advanced Tech. Center:
 2W-60K pulse tube development, 157
 35K LADS Stirling cooler, 1
 35K/60K pulse tube cooler, 21, **163**
 N₂ triple-point thermal storage, 697
 pulse tube coolers for HTS space appl., 171
 pulse tube DC flow investigation, 299
- Los Alamos National Laboratory, 307
- Magnetic field emissions, 139, 771
- Magnetic refrigerators:
 regenerator materials for, 629
 refrigerant materials for, 639
- Massachusetts Inst. of Technology, 655
- Matra Marconi cryocoolers:
 4K hybrid J-T/Stirling cooler, 1, **513**
 10K 2-stage Stirling cooler, 1, 21, **67**
 50-80K Stirling cooler, 1
 flight applications of MMS coolers, 781

- Mesoscopic Devices:
 industrial cooler design considerations, 823
 pulse tube cooler for telecom., 181
- Microscale cryocoolers:
 miniature pulse tube & Stirling, 663
 miniature sorption, 553, 565
- Mitchell Stirling, 257, 379
- Mitsubishi Electric, 593, 603
- Mixed refrigerants (*see* Refrigerants, mixed gases)
- MMR Technologies, 43
- MRI cooler applications, 857
- Nat'1 High Magnetic Field Lab, 707
- Nat'1 Inst. of Standards and Tech. (*see* NIST)
- Naval Research Laboratory:
 cooler life test results, 43
 cooler survey for electronic appl., 829
- Neodymium ribbon regenerator mat'l, 621
- Nichols Research Corp. (NRC):
 cooler endurance testing, 33
 cooler survey, 829
 heat rejection effects, 723
- NICMOS:
 cooler flight electronics, 439
 reverse-Brayton cooler, 431
- Nihon University:
 1-5W 80K pulse tube cooler, 149
 4K space pulse tube cooler, 221
 5-20W 80K pulse tube cooler, 213
 effect of inertance tube on PT, 291
 effect of working pressure on PT, 227
- NIST:
 cooler survey, 829
- Orbital Sciences Corp.:
 NICMOS cooler electronics, 439
- Phase change materials (*see* Thermal Storage)
- Pulse tube cryocoolers:
 1-5W 80K Daikin, 149
 1W BEI tactical, 191
 5-20W 80K Daikin, 213
 Cryenco 1100W 125K, 315
 LM-ATC 2-stage 35/60K, 163
 LM-ATC 2W-60K, 157
 LM-ATC for HTS space applications, 171
 TRW 3503, 33
 TRW 3585, 33
 TRW 6020, 33
 TRW AIRS, 119, 771
 TRW IMAS, 139
 TRW miniature, 1, 21
 TRW MTI, 129
- Pulse tube theory and investigations:
 2-stage coaxial development, 233
 2D corrections to 1D models, 351
 compact coaxial pulse tube, 197
 contamination effects on, 337, 343
 dc flow, effect of, 163, 281, 299, 307, 315
 design of 4K space pulse tube cooler, 221
 double vortex tube as HX, 257
 effect of working pressure, 227
 experimental verification of models, 387
 flow calculation, 321
 flow visualization within, 329
 gas temperature measurement within, 395
 heat transfer characteristics of, 249
 inertance tube, effect of, 281, 291
 microscale PT development, 663
 modeling of wave cooler, 405
 modeling with harmonic simulation, 359
 modeling with MS*2 Stirling code, 379
 modeling with thermoacoustic theory, 369
 multi-bypass coaxial pulse tube, 205
 pumping loss analysis, 603
 Raytheon 3-parallel tube, 239
 tapered pulse tubes, 307, 315
 teaching design in Ukraine, 413
- Queen Mary & Westfield College, 795
- RAL (*see* Rutherford Appleton Laboratory)
- Rare earth compounds, 611, 621
- Raytheon (*formerly* Hughes Aircraft):
 LCC low-cost pulse tube, 43
 PSC 60K Stirling cooler, 1, 21
 pulse tube research, 239
 SMTS 35K Stirling cooler, 1
- Refrigerants:
 contamination of, 343, 733, 743
 for magnetic refrigerators, 639
 mixed gases, 457, 475, 481, 487
 superfluid helium, 655
- Refrigeration performance overviews:
 for electronic applications, 829
 space coolers, 1
- Regenerator:
 etched foil performance trial, 163
 GdZn magnetic alloys for, 629
 modelling of element geometries, 265
 multi-layer magnetic, 611
 neodymium ribbon, 621
 optimization for 10K Stirling, 67
 optimization for 4K GM, 581, 611
- Reverse-Brayton cryocoolers:
 35K Creare, 1, **421**
 5W-65K Creare, 1, 33
 Creare NICMOS, 1, 21, **431**
 miniature Creare, 21
 NICMOS cooler electronics, 439
- Rutherford Appleton Laboratory:
 4K hybrid J-T/Stirling development, 513
 4K hybrid J-T/Stirling life tests, 521
 10K 2-stage Stirling, 67
 space cooler integration experience, 781
- Sandia National Laboratories, 129
- Shanghai Inst. of Tech. Physics, 787, 791
- Signaal USFA:
 harmonic simulation of PT, 359

Software:

- Aerospace CSIM model, 717
- MS*2 Stirling code, 379

Sorption cryocooler:

- APD 10K cryostat for, 535
- BETSCE, 1, 21, 535
- microminiature, 110, 553
- porous plug J-T valve for, 545

Space experiments:

- BETSCE, 535
- CRYOTSU, 671
- NICMOS, 431, 439
- STRV, 95

Space instruments:

- AIRS, 119, 771
- Chinese, 787, 791
- cooler integration trades for, 1
- HIRDLS, 761
- INTEGRAL, 781
- missions to Mars, 815
- MTI, 129
- Planck, 795

SR&DB of the Ukraine:

- 5-10K hybrid J-T/Stirling cooler, 529
- 65K Stirling cooler, 87
- 84-90K J-T refrigerator, 467
- accel. tests for contamination, 743
- cooler outgassing rate, 733
- gas mixtures for J-T coolers, 487
- program overview, 55
- thermal storage design, 689

Stirling cryocoolers:

- Ball 1.5W-55K HIRDLS, 761
 - Ball 35/60K three-stage, 59
 - BE10.3W 78K tactical, 105
 - Creare 65K diaphragm, 33
 - drive and control electronics, 791
 - miniature micromachined, 663
 - MMS/RAL 10K 2-stage, 67
 - SR&DB 65K with thermal storage, 87
 - STC for laser cooling, 77
 - STI HTS, 111
 - Texas Instruments 1W-80K, 95
 - variable reluctance linear motor for, 111
 - with superfluid He working fluid, 655
- Stirling Technology Co., 77

STRV, 95

- Sumitomo Heavy Industries, 575
- Superconductor applications (*see* HTS applications)
- Superconducting Core Tech. (STC), 181
- Superconductor Technologies Inc. (STI), 111
- Superfluid helium as working fluid, 655
- Swales & Associates, 671

Texas Instruments tactical Stirling coolers:

- 1W-80K performance characterization, 95

Thermal conductivity (*see* Conductance measurements)Thermal storage, 87, 467, 529, 671, **689**, 697Thermal switch (*see* Heat switch)Throttle-cycle (*see* J-T cryocoolers)

Tokyo Institute of Tech., 581, 587

Toshiba Corporation:

- 4K GM refrig. optimization, 581
- 4K space pulse tube cooler, 221
- multi-layer mag. regen. for 4K GM, 611
- pressure ratio effect on 4K GM, 587
- working pressure effect on PT, 227

TRW cryocooler activities:

- 3503 pulse tube cooler, 1, 21
- 3585 pulse tube cooler, 1, 21, 33
- 6020 pulser tube cooler, 1, 21, 33
- AIRS pulse tube cooler, 1, **119**, 771
- IMAS pulse tube cooler, 1, **139**
- miniature pulse tube coolers, 1, 21
- MTI pulse tube cooler, 1, 21, **129**

Turbo Brayton coolers (*see* reverse Brayton coolers)

Univ. of Calgary, 379

Univ. of California, UCLA, 275

Univ. of California, UCSB, 497, 545

Univ. of Dresden, 265, 475

Univ. of Karlsruhe, 369

Univ. of Kogakuin, 611

Univ. of Tsukuba, 321, 329

Univ. of Twente, 553, 837

Univ. of Wisconsin, 387

Vortex tube as pulse tube heat exchanger, 257

Wave cooler modeling, 405