

Contents

Government Cryocooler Development and Test Programs 1

- An Overview of the Performance and Maturity of Long Life Cryocoolers for Space Applications 1
D. Glaister, The Aerospace Corp., Albuquerque, NM; M. Donabedian and D. Curran, The Aerospace Corp., El Segundo, CA; and T. Davis, AFRL, Kirtland AFB, NM
- Air Force Research Laboratory Cryocooler Technology Development..... 21
T.M. Davis, J. Reilly, and Lt. B.J. Tomlinson, AFRL, Kirtland AFB, NM
- Endurance Evaluation of Long-Life Space Cryocoolers at AFRL – an Update 33
Lt. B.J. Tomlinson, AFRL, Kirtland AFB, NM; and A. Gilbert and J. Bruning, NRC, Albuquerque, NM
- DARPA Low Cost Cryocooler Performance Testing: Preliminary Results 43
T.G. Kawecki, NRL, Washington, DC; and S.C. James, AlliedSignal Tech. Services Corp., Camp Springs, MD
- Development of Cryogenic Cooling Systems at the SR&DB in the Ukraine .. 55
S.I. Bondarenko and V.F. Getmanets, SR&DB, Kharkov, Ukraine

Stirling Cryocooler Developments 59

- Qualification Test Results for a Dual-Temperature Stirling Cryocooler 59
W.J. Gully, H. Carrington and W. Kiehl, Ball Aerospace & Tech. Corp., Boulder, CO; and T. Davis and B.J. Tomlinson, AFRL, Kirtland AFB, NM
- Progress towards the Development of a 10K Closed Cycle Cooler for Space Use 67
A.H. Orlowska and T.W. Bradshaw, RAL, Didcot, UK; S. Scull, MMS, Bristol, UK; and Lt. B.J. Tomlinson, AFRL, Kirtland AFB, NM
- Development of a Light Weight Linear Drive Cryocooler for Cryogenically Cooled Solid State Laser Systems 77
L.B.Penswick, STC, Kennewick, WA; and B.P. Hoden, Decade Optical Systems, Inc., Albuquerque, NM
- Low-Weight and Long-Life 65K Cooler 87
V.T. Arkhipov, V.N. Lubchenko, and L.V. Povstyany, SR&DB. Kharkov, Ukraine; and H. Stears, Orbita Ltd., Kensington, MD

Thermal Performance of the Texas Instruments 1-W Linear Drive Cryocooler	95
<i>D.L. Johnson, JPL, Pasadena, CA</i>	
Qualification of the BEI B512 Cooler, Part 1 – Environmental Tests.....	105
<i>D.T. Kuo, A.S. Loc, and S.W.K. Yuan, BEI Tech., Sylmar, CA</i>	
Use of Variable Reluctance Linear Motor for a Low Cost Stirling Cycle Cryocooler	111
<i>M. Hanes, D. Chase, and A. O’Baid, STI, Santa Barbara, CA</i>	
Pulse Tube Cryocooler Developments	119
AIRS PFM Pulse Tube Cooler System-Level Performance	119
<i>R.G. Ross, Jr., D.L. Johnson, and S.A. Collins, JPL, Pasadena, CA; and K. Green and H. Wickman, LMIRIS, Lexington, MA</i>	
Multispectral Thermal Imager (MTI) Space Cryocooler Development, Integration, and Test	129
<i>Lt. B.J. Tomlinson, AFRL, Kirtland AFB, NM; W. Burt, TRW, Redondo Beach, CA; D. Davidson and C. Lanes, Sandia Nat’l Lab, Albuquerque, NM; and A. Gilbert, NRC, Albuquerque, NM</i>	
IMAS Pulse Tube Cooler Development and Testing	139
<i>C.K. Chan, T. Nguyen, R. Colbert, and J. Raab, TRW, Redondo Beach, CA; and R.G. Ross, Jr. and D.L. Johnson, JPL, Pasadena, CA</i>	
Development of a 1 to 5 W at 80 K Stirling Pulse Tube Cryocooler	149
<i>Y. Hiratsuka and Y.M. Kang, Daikin Indus., Tsukuba, Japan; and Y. Matsubara, Nihon Univ., Funabashi, Japan</i>	
Development of a 2 W at 60 K Pulse Tube Cryocooler for Spaceborne Operation	157
<i>V. Kotsubo, J.R. Olson, and T.C. Nast, Lockheed Martin ATC, Palo Alto, CA</i>	
Performance of a Two-Stage Pulse Tube Cryocooler for Space Applications	163
<i>J.R. Olson, V. Kotsubo, P.J. Champagne, and T.C. Nast, Lockheed Martin ATC, Palo Alto, CA</i>	
Development of Pulse Tube Cryocoolers for HTS Satellite Communications	171
<i>V. Kotsubo, J.R. Olson, P. Champagne, B. Williams, B. Clappier, and T.C. Nast, Lockheed Martin ATC, Palo Alto, CA</i>	
A Pulse Tube Cryocooler for Telecommunications Applications	181
<i>J.L. Martin and C.M. Martin, Mesoscopic Devices, Golden, CO; and J. Corey, CFIC, Troy, NY</i>	
Design and Preliminary Testing of BEI’s CryoPulse 1000, the Commercial One Watt Pulse Tube Cooler	191
<i>S. W.K. Yuan, D. T. Kuo, and A.S. Loc, BEI Technologies, Sylmar, CA</i>	

Pulse Tube Cryocooler Configuration Investigations 197

Optimal Design of a Compact Coaxial Miniature Pulse Tube Cooler 197
Y.L. Ju, Y. Zhou, J.T. Liang, and W.X. Zhu, Cryogenics Lab., Chinese Acad. of Sci., Beijing, China

Performances of Two Types of Miniature Multi-Bypass Coaxial Pulse Tube Refrigerators 205
J.T. Liang, J.H. Yang, W.X. Zhu, Y. Zhou, and Y.L. Ju, Cryogenics Lab, Chinese Acad. of Sci., Beijing, China

Development of a 5 to 20 W at 80 K GM Pulse Tube Cryocooler 213
S. Fujimoto and Y.M. Kang, MEC Lab, Daikin Indus., Tsukuba, Japan; and Y. Matsubara, Nihon Univ., Funabashi, Japan

Conceptual Design of Space Qualified 4 K Pulse Tube Cryocooler 221
G.R. Chandratilleke, Y. Ohtani, H. Nakagome, and K. Mimura, Toshiba Corp., Kawasaki, Japan; N. Yoshimura and Y. Matsubara, Nihon Univ., Funabashi, Japan; H. Okuda, ISAS, Sagamihara, Japan; and T. Iida and S. Shinohara, NASDA, Tsukuba, Japan

Performance Dependence of a 4 K Pulse Tube Cryocooler on Working Pressure 227
N. Yoshimura, S.L. Zhou and Y. Matsubara, Nihon Univ., Funabashi, Japan; G.R. Chandratilleke, Y. Ohtani, and H. Nakagome, Toshiba R&D Center, Kawasaki, Japan; H. Okuda, ISAS, Sagamihara, Japan; and S. Shinohara, NASDA, Tsukuba, Japan

Research of Two-Stage Co-Axial Pulse Tube Coolers Driven by a Valveless Compressor 233
L.W. Yang, J.T. Liang, Y. Zhou, and J.J. Wang, Cryogenics Lab, Chinese Acad. of Sci., Beijing, China

Experimental Investigation of a Unique Pulse Tube Expander Design 239
C.S. Kirkconnell, Raytheon Systems Co., El Segundo, CA

An Experimental Study on the Heat Transfer Characteristics of the Heat Exchangers in the Basic Pulse Tube Refrigerator 249
S. Jeong and K. Nam, Korea Adv. Institute of Sci. and Tech., Taejon, Korea

Double Vortex Tube as Heat Exchanger and Flow Impedance for a Pulse Tube Refrigerator 257
M.P. Mitchell, Mitchell/Stirling, Berkeley, CA; D. Fabris, Illinois Inst. of Tech., Chicago, IL; and B.J. Tomlinson, AFRL, Kirtland AFB, NM

Investigations on Regenerative Heat Exchangers 265
I. Rühlich and H. Quack, Univ. of Dresden, Dresden, Germany

Pressure Drop in Pulse Tube Cooler Components 275
H.E. Chen, J.M. Bennett, S. Yoshida, A. Le, and T.H.K. Frederking, UCLA, Los Angeles, CA

Pulse Tube Flow and Operational Stability Investigations 281

Experimental Results on Inertance and Permanent Flow in Pulse Tube Coolers 281
L. Duband, I. Charles, A. Ravex, and L. Miquet, CEA/DRFMC, Grenoble, France; and C.I. Jewell, ESA-ESTEC, Noordwijk, The Netherlands

Experimental Results of Pulse Tube Cooler with Inertance Tube as Phase Shifter	291
<i>K. V. Ravikumar, Atlas Scientific, NASA ARC, Moffett Field, CA; and Y. Matsubara, Nihon Univ., Funabashi, Japan</i>	
Observation of DC Flows in a Double Inlet Pulse Tube	299
<i>V. Kotsubo, P. Huang, and T.C. Nast, Lockheed Martin ATC, Palo Alto, CA</i>	
Suppression of Acoustic Streaming in Tapered Pulse Tubes	307
<i>J.R. Olson, Lockheed Martin ATC, Palo Alto, CA; and G. W. Swift, Los Alamos Nat'l Lab., Los Alamos, NM</i>	
Performance of a Tapered Pulse Tube	315
<i>G.W. Swift, M.S. Allen, and J.J. Wollan, Cryenco Inc., Denver, CO</i>	
Numerical Study of Pulse Tube Flow	321
<i>Y. Hozumi, Chiyoda Corp., Yokohama, Japan; M. Murakami, Univ. of Tsukuba, Tsukuba, Japan; and T. Iida, NASDA, Tsukuba, Japan</i>	
Visualization Study of the Local Flow Field in an Orifice and Double-Inlet Pulse Tube Refrigerator	329
<i>M. Shiraishi and A. Nakano, Mech. Engin. Lab, Tsukuba, Japan; and N. Nakamura, K. Takamatsu, and M. Murakami, Univ. of Tsukuba, Tsukuba, Japan</i>	
Stability Study of Coaxial Pulse Tube Cooler Driven by Air Conditioning Compressor	337
<i>L.W. Yang, J.T. Liang, Y. Zhou, P.S. Zhang, W.X. Zhu, and J.H. Cai, Cryogenics Lab, Chinese Acad. of Sci., Beijing, China</i>	
Gas Contamination Effects on Pulse Tube Performance	343
<i>J.L. Hall and R.G. Ross, Jr., JPL, Pasadena, CA</i>	

Pulse Tube Modeling and Diagnostic Measurements 351

Simple Two-Dimensional Corrections to One-Dimensional Pulse Tube Models	351
<i>J.M. Lee and P. Kittel, NASA ARC, Moffett Field, CA; K.D. Timmerhaus, Univ. of Colorado, Boulder, CO; and R. Radebaugh, NIST, Boulder, CO</i>	
Pulse Tube Development Using Harmonic Simulations	359
<i>H.W.G. Hooijkaas, Eindhoven Univ. of Tech.; and A.A.J. Benschop, Signaal-USFA, Eindhoven, The Netherlands</i>	
Analysis of a Two Stage Pulse Tube Cooler by Modeling with Thermoacoustic Theory	369
<i>A. Hofmann, Forschungszentrum Karlsruhe, Karlsruhe, Germany; and S. Wild, Univ. of Karlsruhe, Karlsruhe, Germany</i>	
Modeling Pulse Tube Coolers with the MS*2 Stirling Cycle Code	379
<i>M.P. Mitchell, Mitchell/Stirling, Berkeley CA; and L. Bauwens, Univ. of Calgary, Calgary Canada</i>	
Experimental Verification of a Thermodynamic Model for a Pulse Tube Cryocooler	387
<i>J. Yuan and J.M. Pfothenauer, Univ. of Wisconsin, Madison, WI</i>	

Measurements of Gas Temperature in a Pulse Tube Using the Planar Laser Raleigh Scattering Method	395
<i>K. Nara, Y. Hagiwara, and S. Ito, Adv. Mobile Telecommunication Tech. Inc., Aichi-ken, Japan</i>	

Mathematical Model of a Wave Cooler	405
<i>V.N. Kukhareno, Kharkov State Polytechnic Univ., Kharkov, Ukraine</i>	

Pulse Tube Modeling as a Means of Teaching the Design of Cryogenic Refrigerators	413
<i>V.N. Kukhareno, Kharkov State Polytechnic Univ., Kharkov, Ukraine</i>	

Brayton Cryocooler Developments 421

Design and Test of Low Capacity Reverse Brayton Cryocooler for Refrigeration at 35 K and 60 K	421
<i>J. McCormick, G. Nellis, W. Swift, and H. Sixsmith, Creare Inc., Hanover, NH; and J. Reilly, AFRL, Kirtland AFB, NM</i>	

Reverse Brayton Cryocooler for NICMOS	431
<i>G. Nellis, F. Dolan, J. McCormick, W. Swift, and H. Sixsmith, Creare Inc., Hanover, NH; and J. Gibbon and S. Castles, NASA GSFC, Greenbelt, MD</i>	

Design and Qualification of Flight Electronics for the HST NICMOS Reverse Brayton Cryocooler	439
<i>C. Konkel and W. Bradley, Orbital Sciences Corp., Greenbelt, MD; and R. Smith, NASA GSFC, Greenbelt, MD</i>	

J-T and Throttle-Cycle Cryocooler Developments 449

Flight Demonstration of the Ball Joule-Thomson Cryocooler	449
<i>R. Fernandez and R. Levenduski, Ball Aerospace & Tech., Boulder, CO</i>	

Design Optimization of the Throttle-Cycle Cooler with Mixed Refrigerant	457
<i>M. Boiarski, A. Khatri, APD Cryogenics, Allentown, PA; and V. Kovalenko, Moscow Power Engin. Inst., Moscow, Russia</i>	

Long-Life Cryocooler for 84-90 K	467
<i>V.T. Arkhipov, A.V. Borisenko, V.F. Getmanets, R.S. Mikhailchenko and L.V. Povstiany, SR&DB, Kharkov, Ukraine; and H. Stears, Orbita, Ltd., Kensington, MD</i>	

Mixed Gas J-T Cryocooler with Precooling Stage	475
<i>A. Alexeev, Ch. Haberstroh, and H. Quack, Univ. of Dresden, Germany</i>	

Experimental Comparison of Mixed-Refrigerant Joule-Thomson Cryocoolers with Two Types of Counterflow Heat Exchangers	481
<i>E.C. Luo, M.Q. Gong, Y. Zhou, and J.T. Liang, Chinese Acad. of Sci., Beijing, China</i>	

Multicomponent Gas Mixtures for J-T Cryocoolers	487
<i>V.T. Arkhipov, V.V. Yakuba, M.P. Lobko, and O.V. Yevdokimova, SR&DB, Kharkov, Ukraine; and H. Stears, Orbita Ltd., Kensington, MD</i>	

An Experimental Study and Numerical Simulation of Two-Phase Flow
of Cryogenic Fluids through Micro-Channel Heat Exchanger 497
W.W. Yuen, UCSB, Santa Barbara, CA; and I.C. Hsu, Lockheed Martin ATC, Palo Alto, CA

Hybrid J-T Cryocooler Systems for Operation at 4-10 K 505

Hybrid 10 K Cryocooler for Space Applications 505
R. Levenduski, W. Gully, and J. Lester, Ball Aerospace & Tech., Boulder, CO

Design and Development of a 4 K Mechanical Cooler 513
S.R. Scull and B.G. Jones, MMS, Bristol, UK; T.W. Bradshaw and A.H. Orłowska, RAL, Chilton, UK; and C.I. Jewell, ESA-ESTEC, Noordwijk, The Netherlands

Life Test and Performance Testing of a 4 K Cooler for Space
Applications 521
T.M. Bradshaw, A.H. Orłowska, RAL, Chilton, UK; and C.I. Jewell, ESA-ESTEC, Noordwijk, The Netherlands

Long-Life 5-10 K Space Cryocooler System with Cold Accumulator 529
V.T. Arkhipov, V.F. Getmanets and A.Y. Levin, SR&DB, Kharkov, Ukraine; and H. Stears, Orbita Ltd, Kensington, MD

Sorption Cryocooler Developments 535

Periodic 10 K J-T Cryostat for Flight Demonstration 535
R.C. Longworth, A. Khatri, and D. Hill, APD Cryogenics, Allentown, PA

Characterization of Porous Metal Flow Restrictors for Use as the
J-T Expander in Hydrogen Sorption Cryocoolers 545
A.R. Levy, UCSB, Santa Barbara, CA; and L.A. Wade, JPL, Pasadena, CA

Thermodynamic Considerations on a Microminiature Sorption Cooler 553
J.F. Burger, H.J. Holland, H.J.M. ter Brake, H. Rogalla, Univ. of Twente, The Netherlands; and L.A. Wade, JPL, Pasadena, CA

Fast Gas-Gap Heat Switch for a Microcooler 565
J.F. Burger, H.J. Holland, H. van Egmond, M. Elwenspoek, H.J.M. ter Brake, and H. Rogalla, Univ. of Twente, The Netherlands

GM Refrigerators and Low-Temperature Regenerators 575

Development of a High Efficiency 0.5W Class 4 K GM Cryocooler 575
T. Satoh, R. Li, H. Asami, and Y. Kanazawa, Sumitomo Heavy Ind. R&D Center, Kanagawa, Japan; and A. Onishi, Sumitomo Heavy Ind. PPD, Tokyo, Japan

Development of a High Efficiency 4 K GM Refrigerator 581
Y. Ohtani, H. Hatakeyama, and H. Nakagome, Toshiba R&D Center, Kawasaki, Japan; and T. Usami, T. Okamura, and S. Kabashima, Tokyo Inst. of Tech., Yokohama, Japan

Analysis of a High Efficiency 4 K GM Refrigerator Operating at a Lower Pressure Ratio	587
<i>T. Usami, T. Okamura and S. Kabashima, Tokyo Inst. of Tech., Yokohama, Japan; and Y. Ohtani, H. Hatakeyama, and H. Nakagome, Toshiba Corp., Kawasaki, Japan</i>	
Numerical Simulation of 4 K GM Refrigerator	593
<i>T. Inaguchi, M. Nagao, K. Naka, and H. Yoshimura, Mitsubishi Electric Corp. Adv. Tech. R&D Center, Hyogo, Japan</i>	
Numerical Fluid Analysis of Pumping Loss	603
<i>K. Naka, T. Inaguchi, M. Nagao, and H. Yoshimura, Mitsubishi Electric Corp. Adv. Tech. R&D Center, Hyogo, Japan</i>	
Multilayer Magnetic Regenerators with an Optimum Structure around 4.2 K	611
<i>H. Nakane, T. Hashimoto, and Y. Miyata, Kogakuin Univ., Tokyo, Japan; M. Okamura and H. Nakagome, Toshiba Corp., Kanagawa, Japan</i>	
Advances in Neodymium Ribbon Regenerator Materials	621
<i>T. Felmley, Concurrent Tech. Corp., Johnstown, PA</i>	
Gd-Zn Alloys as Active Magnetic Regenerator Materials for Magnetic Refrigeration	629
<i>V.K. Pecharsky and K.A. Gschneidner, Jr., Ames Lab, Iowa State Univ., Ames, IA</i>	
Magnetocaloric Properties of Gd_3Al_2	639
<i>V.K. Pecharsky and K.A. Gschneidner Jr., Ames Laboratory, Iowa State Univ., Ames, IA; and S. Y. Dan'kov and A.M. Tishin, Moscow State Univ., Moscow, Russia</i>	
Advanced Refrigeration Cycles and Developments	647
Development of a Dilution Refrigerator for Low-Temperature Microgravity Experiments	647
<i>P.R. Roach, NASA ARC, Moffett Field, CA; and B. Helvensteijn, Sterling Software, Redwood Shores, CA</i>	
Preliminary Experimental Results Using a Two Stage Superfluid Stirling Refrigerator	655
<i>A.B. Patel and J.G. Brisson, MIT, Cambridge, MA</i>	
Investigation of Microscale Cryocoolers	663
<i>J.M. Shire, A. Mujezinovic, and P.E. Phelan, ASU, Tempe, AZ</i>	
Cryocooler Integration and Test Technologies	671
Development of Advanced Cryogenic Integration Solutions	671
<i>D. Bugby and C. Stouffer, Swales Aerospace, Beltsville, MD; T. Davis, Lt. B.J. Tomlinson, and Lt. M. Rich, AFRL, Kirtland AFB, NM; J. Ku and T. Swanson, NASA GSFC, Greenbelt, MD; and D. Glaister, The Aerospace Corp., Albuquerque, NM</i>	
Cold Accumulators as a Way to Increase Cryosystem Lifetime and Temperature Range	689
<i>V.T. Arkhipov, V.F. Getmanets, A.Y. Levin, and R.S. Mikhailchenko, SR&BD, Kharkov, Ukraine; and H. Stears, Orbita Ltd, Kensington, MD</i>	

Test Results of a Nitrogen Triple-Point Thermal Storage Unit	697
<i>B.G. Williams and I.E. Spradley, Lockheed Martin ATC, Palo Alto, CA</i>	
Optimal Integration of Binary Current Lead and Cryocooler	707
<i>H.M. Chang, Hong Ik Univ., Seoul, Korea; and S. W. Van Sciver, Nat'l High Magnetic Field Lab, Tallahassee, FL</i>	
Cryogenic Systems Integration Model (CSIM)	717
<i>S.D. Miller and M. Donabedian, The Aerospace Corp., El Segundo, CA; and D.S. Glaister, The Aerospace Corp., Albuquerque, NM</i>	
Heat Rejection Effects on Cryocooler Performance Prediction	723
<i>Lt. B.J. Tomlinson, AFRL, Kirtland AFB, NM; and A. Gilbert and J. Bruning, NRC, Albuquerque, NM</i>	
Cryocooler Working Medium Influence on Outgassing Rate	733
<i>V.F. Getmanets, SR&DB, Kharkov, Ukraine; and G.G. Zhun', Kharkov State Polytechnic Univ., Kharkov, Ukraine</i>	
Accelerated Cryocooler Life Tests for Cryodeposit Failures	743
<i>V.F. Getmanets and G. G. Zhun, SR&DB, Kharkov, Ukraine; and H. Stears, Orbita, Ltd, Kensington, MD</i>	
Thermal Resistance across the Interstitial Material Kapton MT at Cryogenic Temperatures	753
<i>L. Zhao and P.E. Phelan, ASU, Tempe, AZ</i>	

Space Cryocooler Applications 761

Cryocooler Subsystem Integration for the High Resolution Dynamics Limb Sounder (HIRDLS) Instrument	761
<i>D.J. Berry, D. Gutow, J. Richards, and R. Stack, Ball Aerospace & Tech., Boulder, CO</i>	
EMI Performance of the AIRS Cooler and Electronics	771
<i>D.L. Johnson, S.A. Collins, and R.G. Ross, Jr., JPL, Pasadena, CA</i>	
The Application and Integration of Mechanical Coolers	781
<i>R.M. Wilkinson, S.R. Scull, MMS, Bristol, England; A.H. Orłowska and T.W. Bradshaw, RAL, Chilton, England; and C.I. Jewell, ESA-ESTEC, Noordwijk, The Netherlands</i>	
Cooling System for Space Application	787
<i>G.L. Ji and Y. Wu, Shanghai Inst. of Tech. Physics, Chinese Acad. of Sci., Shanghai, China</i>	
Drive and Control System for a Stirling Cryocooler	791
<i>W. Biao, G. Ji, and Y. Wu, Shanghai Inst. of Tech. Physics, Chinese Acad. of Sci., Shanghai, China</i>	
Testing of Infrared Detectors Using a Zero Gravity Dilution Refrigerator	795
<i>R.S. Bhatia, J.J. Bock, and P.V. Mason, CIT, Pasadena, CA; A. Benoît, CNRS, Grenoble, France; and M.J. Griffin, Queen Mary & Westfield College, London, UK</i>	
Design of a 90 K Cryogenic Passive Cooler for the IASI Instrument	805
<i>D.J. Doornink, Fokker Space, Leiden, The Netherlands</i>	

Cryocoolers for Human and Robotic Missions to Mars 815
P. Kittel and L.J. Salerno, NASA ARC, Moffett Field, CA; and D.W. Plachta, NASA LeRC, Cleveland, OH

Commercial Cryocooler Applications 823

Design Considerations for Industrial Cryocoolers 823
C.M. Martin and J.L. Martin, Mesoscopic Devices, LLC, Golden, CO

Survey of Cryocoolers for Electronic Applications (C-SEA) 829
J.L. Bruning and R. Torrison, NRC, Albuquerque, NM; R. Radebaugh, NIST, Boulder, CO; and M. Nisenoff, NRL, Washington, DC

Construction and Tests of a High-Tc SQUID-Based Heart Scanner
 Cooled by Small Stirling Cryocoolers 837
C.J.H.A. Blom, H.J.M. ter Brake, H.J. Holland, A.P. Rijpma, and H. Rogalla, Univ. of Twente, The Netherlands

Cryocooler Applications for High-Temperature Superconductor
 Magnetic Bearings 847
R.C. Niemann and J.R. Hull, Argonne Nat'l Lab, Argonne, IL

Advanced Cryocooler Cooling for MRI Systems 857
R.A. Ackermann and K.G. Herd, GE Corp. R&D, Niskayuna, NY; and W.E. Chen, GE Medical Sys., Florence, SC

Indexes 869

Proceedings Index 869

Author Index 871

Subject Index 873