

NOTE: Page numbers used in this Index refer to the **FIRST PAGE** of the referenced article published in the proceedings. To view the referenced article, go to the Table of Contents and click on the article with the referenced page number located to the left of the paper title.

Cryocoolers 21

Subject Index

- Absolut System SAS (France):
LPT6510 cooler TRL6 test results, 143
- Active displacer, in PT cooler (*see* Pulse tube theory and investigations)
- Active magnet regenerative refrigerator (AMRR):
develop of for space-science instruments, 487
- Adiabatic Demagnetization Refrigerator (ADR):
hysteresis heat generation in magnets, 497
operating between 4.5 K and 2.0 K, 477
- Aerospace, Corp:
EMIT instrument thermal design, 15
- AIM Infrarot Module (Germany):
AIM cryocoolers for harsh environ., 149
SF070 cooler in hyperspectral imager, 29
- Air Liquide:
enabling space-science missions at 10-20K, 23
heat interceptor use on LPTC PT cooler, 175
- Applications of cryocoolers (*see* Integration with cryocoolers)
- Brayton cryocoolers (*see* Turbo-Brayton coolers)
- California Institute of Technology (*see* Jet Propulsion Laboratory)
- CAS, Chinese Academy of Sciences (*see* Tech. Inst. of Physics & Chemistry, Beijing)
- CDC/NIOSH:
integ. coolers with cryogenic air supplies, 85
- CEA INAC-SBT (Grenoble, France) (*see* Univ. Grenoble Alpes)
- Center National D'Etudes Spatiales (*see* CNES)
- CERN (Switzerland):
woven copper mesh as HX at low temps, 413
- Chase Research Cryogenics (UK):
low-cost sub-Kelvin cooler development, 519
- Circulation Systems (for remote cryogenic loads):
cold He circulation system for GM, 57
LM space cryogenic circulator, 107
NGSS cryocooler with novel 90K circulator, 115
SPICA cooler system with added circulation, 49
- Compressors, cryocooler:
acoustic-to-electric transducer for coolers, 337
moving coil linear compressor for J-T, 461
oil-free linear compressor for 5-stg cooler, 355
piston offset effect on linear J-T comp., 469
- Creare, LLC:
efficiency improvements in space TB coolers, 397
integ. of coolers in hyperspectral imager, 29
linear cryocooler electronics for space, 379
micro-tube recuperators for TB coolers, 405
Cryogenic air supplies, integrating with, 85
- Cryomech:
how industry takes ideas and provides tech, 57
- Cryostats (*see* integration of coolers with)
- CryoTech (Israel):
affordable 150 K cooler for IR imaging, 191
- Cubesats (*see* Integration of coolers with)
- Dilution refrigerators (*see* Sub-Kelvin coolers)
- Drive electronics (*see* Electronics, cooler drive)
- Eindhoven Univ. of Tech:
subkelvin cooling with ^3He in ^4He , 505
- Electronics, cooler drive:
Creare cooler electronics for space, 379
IRIS reduced size for space, 371
specifying for space missions, 365
- EMIT instrument thermal design, 15
- Erbium regenerator materials (*see* Regenerators)
- Etalim Inc. (Canada):
acoustic-to-electric transducer for coolers, 337
- European Space (ESA/ESTEC) activities:
10 to 20 K coolers for space science, 23
ESA cryogenic developments overview, 1
heat interceptor use in large PT cryocooler, 175
woven copper mesh as HX at low temps, 413
- Flex links for integrating coolers, 125
- Florida State University:
superconducting electric transport systems, 97
- Fuji Electric Co.:
aftercooler config. effects on PT cooler, 221
- Georgia Institute of Tech.:
2D/3D fluid dynamic code for regen anal, 325
boundary layer losses in tapered PT, 255
- GM-style pulse tube coolers (*see* Pulse tube cryocoolers)
- Gifford-McMahon cryocoolers:
integration with ground applications, 57
real fluid effects in 4 K GM regenerators, 315
- Heat exchangers:
tube-in-tube HX design for 2.5 K J-T, 453
woven copper mesh as HX at low temps, 413

- Heat Interceptor:
 use in large pulse tube cryocooler, 175
- Heat switches:
 gas-gap heat switch for sub-Kelvin cooler, 513
- High temperature superconductor applications (*see* Integration of cryocoolers with)
- Hybrid multistage coolers (*see also* J-T coolers):
 PT/³He J-T for 0.65 to 25 K calibration, 67
- Inst. of Cryogenics and Electronics, Hefei, China:
 study of flexure-bearing Stirling cooler, 209
- Integration of cryocoolers with:
 cryogen boil-off reduction system (*see* Liquefaction of gases)
 cryogenic air supplies, 85
 CubeSats, 29, 371
 drive electronics (*see* Electronics, cooler drive)
 electron particle accelerators, 77
 EMIT instrument thermal design, 15
 flow loops (*see* Circulation systems)
 ground based telescopes, 57
 helium recovery for MEG cryostats, 57
 hyperspectral thermal imager (HyTI), 29
 IR detectors, 149, 169, 191, 423
 liquefaction of gases (*see* Liquefaction of gases)
 Metrology calibration systems, 67
 MISE space instrument, 135
 Neutron Elect. Dipole Moment Experiment, 57
 remote loads (*see* Circulation systems)
 superconducting electric transport systems, 97
 superconducting magnet applications, 57
 thermal straps, 125
 vibration sensitive applications (*see* Vibration)
- Iris Technology Corp:
 reduced-size cooler electronics for space, 371
 specifying cooler control electronics, 365
- Japan Aerospace Exploration Agency (JAXA):
 1 K JT for space science missions, 41
- J-T cryocoolers:
 1 K JT for space science missions, 41
 40 K neon JT cooler for Ariel, 423
 coupled to ³He/⁴He subkelvin cooler, 505
 hybrid PT/³He J-T for 0.65 to 25 K, 67
 mixture optimization for mixed-gas JT, 443
 moving coil linear compressor for J-T, 461
 oil-free linear compressor for 5-stg cooler, 355
 piston offset effect on linear J-T comp., 469
 testing of RAL 2 K J-T cryocooler, 433
 tube-in-tube HX design for 2.5 K J-T, 453
- Jet Propulsion Laboratory (NASA/JPL):
 charact. of LM Micro 1-2 cooler for MISE, 135
 EMIT instrument thermal design, 15
 integration of coolers in HyTI, 29
- Joule-Thomson Cryocoolers (*see* J-T cryocoolers)
- KAIST (*see* Korea Adv. Inst. of Science & Tech.)
- Korea Adv. Inst. of Science & Tech., Daejon, Korea:
 ADR operating between 4.5 K and 2.0 K, 477
 enhanced linear compressor for PT, 347
- Liquefaction of gases:
 helium recovery for MEG cryostats, 57
 zero-boil-off space propulsion applications, 387
- Lockheed Martin, Palo Alto, CA:
 micro 1-2 cooler, JPL testing for MISE, 135
 space cryogenic circulator, 107
- Magnetic refrigerant materials (*see* Regenerators)
- Materials:
 refrigerants (*see* J-T cryocoolers)
 regenerator (*see* Regenerators)
- MISE, LM micro 1-2 cooler for, 135
- Mixed refrigerants (*see* J-T cryocoolers)
- NASA Glenn Research Center:
 space aps for high capacity space coolers 387
- NASA Goddard Space Flight Center:
 hysteresis heating in ADR magnets, 497
- NASA/JPL (*see* Jet Propulsion Laboratory)
- NASA Marshall Space Flight Center:
 zero-boil-off space propulsion applications, 387
- Nat'l Inst. of Standards and Tech. (*see* NIST)
- NIST:
 real fluid effects in 4 K PT regenerators, 315
 temp instability caused by real fluid prop., 305
- Nat'l Inst. of Technology, Calicut (India):
 oil-free linear compressor for 5-stg cooler, 355
 optimization of PT phase controller, 297
- Nat'l Metrology Institute of Japan:
 PT/³He J-T for 0.65 to 25 K calibration, 67
- Northrop Grumman (NGSS)—*previously* TRW:
 cryocooler with novel circulator, 115
- Phase shifters for pulse tube tuning (*see* Pulse tube theory and investigations)
- Propellant liquefaction and densification (*see* Liquefaction of gases)
- Pulse tube cryocoolers:
 1.1 W at 20 K PT by KAIST, 347
 6W at 80 K lightweight by CAS, 163
 10 to 20 K PT coolers for space science, 23
 24 K PT without double-inlet phase shifter, 169
 598 g micro pulse tube cryocooler, 157
 AIM cryocoolers for harsh environ., 149
 Air Liquid HiPTC 10-20 K PT for space, 23
 drive electronics for (*see* Electronics, drive)
 high capacity working at 170 K, 229
 LM Micro 1-2 cooler for MISE, 135
 Thales LPT6510 50-120 K cooler, 143
 Thales LPT9310 in EMIT instrument, 15
- Pulse tube theory and investigations:
 2D/3D fluid dynamic code for regen anal, 325
 aftercooler config. effects on PT cooler, 221
 boundary layer losses in tapered PT, 255
 design of coaxial PT with active displacer, 285
 enhanced linear compressor for 20 K PT, 347
 exploration of warm displacer phase shifter, 279
 heat interceptor use in large PT cryocooler, 175
 optimization of phase controller for, 297
 passive displacer for Stirling PT cooler, 291
 phase shifting using electromagnet damping, 269

- real and reactive flows in PT regenerators, 245
- real fluid effects in 4 K PT regenerators, 315
- regenerator studies, generic (*see* Regenerators)
- temp instability caused by real fluid prop., 305
- thermal losses in coaxial PT cooler, 263
- vibration of 8 K high-freq PT cooler, 185

- Rare earth compounds (*see* Regenerators)
- Recuperative heat exchangers (*see* Heat exchangers)
- Refrigerants (*see* J-T cryocoolers)
- Regenerators:
 - 2D/3D fluid dynamic code for analysis of, 325
 - real and reactive flows in PT regenerators, 245
 - real fluid effects in 4 K regenerators, 315
 - temp instability caused by real fluid prop., 305
- Re-Liquefaction of gases (*see* Liquefaction of gases)
- Remote cryogenic loads, cooling of (*see* Circulation Systems)
- Reverse-Brayton coolers (*see* Turbo Brayton coolers)
- Rutherford Appleton Lab—RAL (UK):
 - 40 K neon JT cooler for Ariel, 423
 - Stirling cooler model with appendix gap, 235
 - testing of 2K J-T cryocooler, 433

- Sitael S.P.A. (Italy), 10-20K coolers, 23
- Space cryocooler development overviews:
 - enabling space-science missions at 10-20K, 23
 - ESA cryogenic developments overview, 1
 - NASA aps for high capacity space coolers 387
 - SPICA cooler system w/ added circulation, 49
- Space Dynamics Lab, Utah State Univ., 125
- SPICA space infrared telescope:
 - cooler system with added refrig. circulation, 49
- Stirling cryocoolers:
 - affordable 150 K cooler for IR imaging, 191
 - free piston prototype for low-temp freezing, 215
 - Hefei study of flexure-bearing cooler, 209
 - model with simulation of appendix gap, 235
 - Thales high-availability Stirling coolers, 201
- Sub-Kelvin coolers:
 - AMRR for space-science instruments, 487
 - by expansion of ^3He in ^4He , 505
 - gas-gap heat switch for sub-Kelvin cooler, 513
 - low-cost sub-Kelvin cooler development, 519
- Sumimec Engineering (JAPAN): 41
- Sumitomo Heavy Industries (SHI):
 - 1 K JT for space science missions, 41
 - SPICA cooler system w/ added circulation, 49
- Superconductor applications (*see* Integration of cooler with)

- Technical Inst. of Physics and Chemistry, CAS:
 - 6 W at 80 K lightweight PT cooler, 163
 - 24 K PT without double-inlet phase shifter, 169
 - 598 g micro pulse tube cryocooler, 157
 - free piston Stirling for low-temp freezing, 215
 - gas-gap heat switch for sub-Kelvin cooler, 513
 - high capacity PT working at 170 K, 229
 - moving coil linear compressor for J-T, 461
 - piston offset effect on linear J-T comp., 469
 - tube-in-tube HX design for 2.5 K J-T, 453
 - vibration of 8 K high-freq PT cooler, 185
- Technion - Israel Inst. of Tech:
 - PT phase shift by electromagnet damping, 269
- Thales Cryogenics (The Netherlands):
 - 10 to 20 K PT coolers for space science, 23
 - high-availability Stirling coolers, 201
- Thermal straps, 125
- Tokyo Univ. of Agriculture and Tech., 221
- TRW coolers (*see* Northrop Grumman)
- Turbo alternator (*see* Turbo Brayton coolers)
- Turbo Brayton coolers:
 - efficiency improvements in space TB coolers, 397
 - micro-tube recuperators for TB coolers, 405
 - woven copper mesh as HX at low temps, 413
- Univ. of California, Los Angeles (UCLA):
 - cooler tech for electronic particle accel., 77
- Univ. of Colorado - Boulder:
 - real and reactive flows in PT regenerators, 245
 - real fluid effects in 4 K PT regenerators, 315
 - temp instability caused by real fluid prop., 305
- Univ. of Chinese Academy of Sciences (*see* Technical Inst. of Physics and Chemistry, CAS)
- Univ. of Grenoble Alps, CEA INAC-SBT (France):
 - 10 to 20 K coolers for space, 23
- Univ. of Hawaii-Manoa, hyperspectral imager, 29
- Univ. of Oxford (UK):
 - design of coaxial PT with active displacer, 285
 - passive displacer for Stirling PT cooler, 291
 - thermal losses in coaxial PT cooler, 263
- Univ. of Twente (Netherlands):
 - woven copper mesh as HX at low temps, 413
- Univ. of Wisconsin - Madison:
 - AMRR for space-science instruments, 487
 - mixture optimization for mixed-gas JT, 443
 - PT with warm displacer phase shifter, 279
- Utah State Univ, Space Dynamics Lab (*see* Space Dynamics Lab)

- Vibration:
 - characteristics of 8 K high-freq PT cooler, 185

- West Coast Solutions:
 - 2D/3D fluid dynamic code for regen anal, 325
 - boundary layer losses in tapered PT, 255
 - integ. of coolers in hyperspectral imager, 29
 - linear cryocooler electronics for space, 379

- Zero-boil-off cryogen storage (*see* Liquefaction of gases)