

Subject Index

- Active magnetic regenerators (*see* regenerators)
- Active thermal management of coolers:
 - design of cooler thermal control system, 503
 - PALETTE thermally-switched enclosures, 85
- Adiabatic Demagnetization Refrigerator (ADR):
 - 350 mK stage for space or ground ADR, 345
 - thermal design of 4 T magnet for, 443
- Advanced Research Systems:
 - Solvay cryocooler for material char., 265
- Air Liquide:
 - LPTC test with Creare drive electronics, 401
- AIRS cryocoolers: 20 years in space, 43
- Applications of cryocoolers (*see* Integration with cryocoolers)

- Ball Aerospace:
 - Klondike cooler system design & perf., 53
 - Verne cooler system design & perf., 63
 - TIRS II cooler on-orbit performance, 99
- Boston Cryogenics:
 - numerical simulation of PT coolers, 171
- Brayton cryocoolers (*see* Reverse-Brayton coolers)

- California Institute of Technology (*see* Jet Propulsion Laboratory)
- CAS, Chinese Academy of Sciences (*see* Tech. Inst. of Physics & Chemistry, Beijing *and* Shanghai Inst. of Tech. Physics)
- CEA INAC-SBT (Grenoble, France) (*see* Univ. Grenoble Alpes)
- Center National D'Etudes Spatiales (*see* CNES)
- Circulation Systems (*see* Remote cryogenic loads)
- CNES (Toulouse, France):
 - 350 mK stage for space or ground ADR, 345
 - heat flow change with PT miniaturization, 161
- Compressors:
 - low-cost CryoTech for IR cryocoolers, 127
 - square-wave test for compressor blowby, 203
- Creare, LLC:
 - 20 K 20W Turbo-Brayton cooler for space, 327
 - 20 K Brayton for zero-boil-off application, 335
 - 90 K Brayton for zero-boil-off application, 319
 - qual of MCCE cooler drive electronics, 383
 - test of MCCE with Air Liquide LPTC, 401
- Cryomech:
 - 3 K 2-stg high cooling capacity PT cooler, 227
 - 4.2 K 2-stg high efficiency & capacity PT, 235
- Cryostats (*see* integration of coolers with)
- CryoTech (Israel):
 - low-cost cryo tech for IR imaging, 127
- Dilution refrigerators (*see also* Sub-Kelvin coolers):
 - perf. analysis with tube-in-tube HX, 365
 - refrig performance at tilt angles up to 30°, 353
- Drive electronics for coolers:
 - Creare MCCE drive electronics qual., 383
 - Creare MCCE test with Air Liquide, 401
 - Iris control electronics for Ricor K508, 393
- DTP Thermoelectronics:
 - improved TE coolers using DTP materials, 375

- Electronics, cooler drive (*see* Drive electronics...)
- Erbium regenerator materials (*see* Regenerators)
- Etalim, looped thermoacoustic cooler, 479

- Florida State University, Tallahassee, FL:
 - modeling superconducting power systems, 461

- Gas gap heat switches:
 - heat transfer in eccentric gas gaps, 303
- Georgia Institute of Tech.:
 - CFD of regenerator flow uniformity, 281
- Gifford-McMahon & GM-style PT cryocoolers:
 - 4 K low freq 2-stg Stirling cooler, 255
 - Cryomech 3 K 2-stg high capacity PT, 227
 - Cryomech 4.2 K 2-stg high capacity PT, 235
 - SHI high capacity 1-stg 80 K GM cooler, 249
 - SHI 2-stg 4 K GM advancements, 219
 - SHI 2W 4 K PT refrig with remote valve, 241
 - Solvay cryocooler for 4 K material char., 265

- Heat exchangers:
 - heat transfer in eccentric gas gaps, 303
 - tube-in-tube HX for dilution refrig., 365
 - twisted helical bundle HX perform., 311
- Heat Pipes:
 - He pulsating heat pipes of diff. lengths, 451
- High temperature superconductor applications (*see* Integration of cryocoolers with)
- Holmium regenerator materials (*see* Regenerators, *see also* Gifford-McMahon cryocoolers)
- India Institute of Science, Bangalore, India:
 - integral cold transportation system, 471
- Inertance tubes (*see* Pulse tube theory and investiga-

- tions)
- Integration of cryocoolers with:
- 1800-liter 80 K biological freezer, 425
 - 1.5W cryostat for cold trap, 419
 - cryogen boil-off reduction system (*see* Liquefaction of gases)
 - flow loops (*see* Remote cryogenic loads)
 - pulsating heat pipes, 451
 - integral cold transportation system, 471
 - liquefaction of gases (*see* Liquefaction of gases)
 - PALETTE lunar night enclosures, 85
 - radio isotope Stirling engine, 495
 - remote loads (*see* Remote cryogenic loads)
 - spacecraft IR spectrometers:
 - AIRS cryocoolers: 20 years in space, 43
 - cooler integ. for UCIS-A spectrometer, 73
 - superconducting magnets:
 - on small satellites via miniature coolers, 433
 - thermal design of 4 T magnet for ADR, 443
 - superconducting power systems, 461
 - thermal control systems, 85, 503
 - thermal storage unit (TSU), 489
 - vibration sensitive applications (*see* Vibration)
- Iris Technology Corp:
- Ball Klondike vibration reduction mount, 53
 - Ball Verne vibration reduction mount, 63
 - control electronics for Ricor K508, 393
- Japan Aerospace Exploration Agency (JAXA):
- 350 mK stage for *LiteBIRD* ADR, 345
- J-T cryocoolers:
- MIRI cooler design & devel. history, 1
 - MIRI cooler commissioning performance, 21
 - MIRI cooler transient thermal modeling, 35
- Jet Propulsion Laboratory (NASA):
- AIRS cryocooler: 20 years in space, 43
 - cooler integ. for UCIS-A spectrometer, 73
 - MIRI cooler commissioning performance, 21
 - MIRI cooler design & devel. history, 1
 - MIRI cooler transient thermal modeling, 35
 - PALETTE thermally-switched enclosures, 85
 - square-wave test for compressor blowby, 203
- Joule-Thomson Cryocoolers (*see* J-T cryocoolers)
- Justus-Liebig Univ., Giessen, Germany:
- improvement of low-power 2-stg 4K PT, 259
- Korea Adv. Inst. of Science & Tech. (KAIST):
- thermal design of 4 T magnet for ADR, 443
- Lawrence Berkeley Laboratory:
- He and H₂ liquefaction using coolers, 409
- Le-Tehnika, Slovenia:
- development of 1.5 W cryostat cold trap, 419
 - miniature Stirling cooler for HOT appl., 137
- Liquefaction of gases & zero-boil-off:
- 20 K 20W Turbo-Brayton cooler for space, 327
 - 20 K Brayton for zero-boil-off application, 335
 - 90 K Brayton for zero-boil-off application, 319
 - lessons learned with cooler integration, 409
 - LiteBIRD*: 350mK ADR, 345
 - Lockheed Martin, Palo Alto, square wave test, 203
 - Magnetic refrigerant materials (*see* Regenerators)
 - Materials:
 - refrigerants (*see* J-T cryocoolers)
 - regenerator (*see* Regenerators)
 - MIRI cryocooler on JWST:
 - concept design & development history, 1
 - cooldown & commissioning performance, 21
 - transient thermal modeling, 35
 - Mixed refrigerants (*see* J-T cryocoolers)
 - MVE biological Sys.: 1800-liter cryo freezer, 425
- NASA Glenn Research Center:
- 20 K 20W turbo-Brayton cooler for space, 327
- NASA Goddard Space Flight Center:
- MIRI cooler concept design & devel. history, 1
 - MIRI cooler commissioning performance, 21
 - TIRS II cooler on-orbit performance, 99
- NASA/JPL (*see* Jet Propulsion Laboratory)
- NASA Langley, Hampton, VA:
- PALETTE thermally-switched enclosures, 85
- NASA Marshall Space Flight Center:
- 90 K Brayton for zero-boil-off application, 319
- Nat'l Inst. of Standards and Tech. (NIST) USA:
- perf. of dilution refrig at tilt angles, 353
 - power flow terms in 4-7 K regenerators, 291
- Nat'l Institute of Technology, Calicut, India:
- design of cooler thermal control system, 503
 - modeling and CFD analysis of PT cooler, 189
 - radio isotope Stirling engine for space, 495
- Northrop Grumman (NGSS)—*previously* TRW:
- AIRS cryocoolers: 20 years in space, 43
 - MiniCoolerPlus TMU Qual Tests, 109
 - MIRI cooler concept design & devel. history, 1
 - MIRI cooler commissioning performance, 21
 - MIRI cooler transient thermal modeling, 35
- Northside Res. & Tech: 1800-liter cryo freezer, 425
- Paihau-Robinson Research Inst., New Zealand:
- integ. of HTS magnets on small satellites, 433
- PALETTE thermal management project (NASA):
- using thermally-switched enclosures, 85
- Pressure Wave Systems, Munich, Germany:
- low freq 2-stg Stirling cooler for 4K, 255
- Propellant liquefaction and densification (*see* Liquefaction of gases)
- Pulse tube cryocoolers:
- 2 K to 4 K low temperature (*see* GM PT coolers)
 - AIRS cryocoolers: 20 years in space, 43
 - drive electronics for (*see* Drive Electronics)
 - NGSS MiniCoolerPlus TMU Qual Tests, 109
 - NGSS MIRI Cryocooler on JWST, 1, 21, 35
 - SHI 5W 77 K PT cryocooler for space, 151
- Pulse tube & Stirling theory and investigations:
- CFD of regenerator flow uniformity, 281
 - cooler response after switching OFF, 489
 - flow in regenerators of Stirling coolers, 271
 - heat flow changes with PT miniaturization, 161
 - improvement of low-power 2-stg 4K PT, 259
 - measure piston stroke via strain gauges, 211

- modeling and CFD analysis of PT cooler, 189
 - modeling of flow resistance of PT coolers, 197
 - numerical simulation of PT coolers, 171
 - perf. of passively driven displacer, 181
 - power flow terms in 4-7 K regenerators, 291
 - regenerator studies, generic (*see* Regenerators)
 - square-wave test for compressor blowby, 203
- Radioisotope Stirling Generator (ERSG), 495
- Rare earth compounds (*see* Regenerators)
- Recuperative heat exchangers (*see* Heat exchangers)
- Refrigerants (*see* J-T cryocoolers)
- Regenerators:
 - CFD of regenerator flow uniformity, 281
 - flow in regenerators of Stirling coolers, 271
 - modeling of flow resistance of PT coolers, 197
 - power flow terms in 4-7 K regenerators, 291
- Re-Liquefaction of gases (*see* Liquefaction of gases)
- Reliability data on coolers:
 - Thales high-avail. cooler developments, 119
- Remote cryogenic loads, cooling of via:
 - Etalim looped thermoacoustic cooler, 479
- Reverse-Brayton cryocoolers:
 - 20 K 20W Turbo-Brayton cooler for space, 327
 - 20 K Brayton for zero-boil-off application, 335
 - 90 K cooler for zero-boil-off applications, 319
- Ricor: space cryocooler electronics for, 393
- Solvay Cryocooler, 265
- Southwest Res. Inst: Ricor cooler electronics, 393
- Space cryocooler applications:
 - AIRS cryocoolers: 20 years in space, 43
 - cooler integ. for UCIS-A spectrometer, 73
 - MIRI cooler concept design & devel. history, 1
 - MIRI cooler commissioning performance, 21
 - MIRI cooler transient thermal modeling, 35
 - PALETTE lunar night enclosures, 85
 - TIRS II cooler on-orbit performance, 99
- Stirling cryocoolers:
 - 4 K low freq 2-stg Stirling cooler, 255
 - Ball TIRS II cooler on-orbit performance, 99
 - CryoTech low-cost Stirling cooler, 127
 - LeTehnika cooler for HOT applications, 137
 - Ricor K508, space electronics for, 393
 - Thales rotary cooler improvements, 143
- Sub-Kelvin coolers:
 - 350 mK stage for space or ground ADR, 345
 - dilution refrig perf. at tilt angles up to 30°, 353
 - dilution refrig perf. with tube-in-tube HX, 365
- Sumitomo (SHI) Cryogenics of America:
 - 2 W 4 K PT refrig with remote valve, 241
 - 2-stg 4 K GM advancements, 219
 - high capacity 1-stg 80 K GM cryocooler, 249
- Sumitomo Heavy Industries of Japan:
 - 2-stg 4 K GM advancements, 219
 - 5 W 77 K PT cryocooler for space, 151
- Sunpower, Inc.:
 - Ball Klondike vibration reduction mount, 53
 - Ball Verne vibration reduction mount, 63
- Superconductors (*see* Integration of cryocoolers with)
- Technical Inst. of Physics and Chemistry, CAS:
 - flow in regenerators of Stirling coolers, 271
 - tube-in-tube HX for dilution refrig., 365
- Thales Cryogenics (The Netherlands):
 - high-availability cooler developments, 119
- Thales LAS France SAS:
 - next-gen rotary cryocooler improvements, 143
- Thermoacoustics:
 - Etalim looped thermoacoustic cooler, 479
- Thermoelectric coolers:
 - improved SWaP-C using DTP materials, 375
- TransMIT, Germany, low-power 2-stg 4K PT, 259
- TRW coolers (*see* Northrop Grumman)
- Turbo alternator (*see* reverse Brayton coolers)
- Turbo Brayton coolers (*see* reverse Brayton coolers)
- Univ. of Chinese Academy of Sciences (*see* Technical Inst. of Physics and Chem, CAS)
- Univ. of Colorado:
 - power flow terms in low-temp regenerators, 291
- Univ. of Grenoble Alps, CEA INAC-SBT (France):
 - 350 mK stage for space or ground ADR, 345
 - heat flow change with PT miniaturization, 161
- Univ. of Oxford (UK):
 - stroke measurement by strain gauges, 211
 - perf. of passively driven displacer, 181
- Univ. of Twente, The Netherlands:
 - cooler response after switching OFF, 489
 - heat transfer in eccentric gas gaps, 303
- Univ. of Wisconsin:
 - He pulsating heat pipes of diff. lengths, 451
 - twisted helical bundle HX perform., 311
- Veerмата Jijabai Tech. Inst., Mumbai, India:
 - num. modeling of PT flow resistance, 197
- Vibration:
 - Ball Klondike vibration reduction mount, 53
 - Ball Verne vibration reduction mount, 63
- West Coast Solutions:
 - CFD of regenerator flow uniformity, 281
 - cooler integ. for UCIS-A spectrometer, 73
 - qual of Creare MCCE drive electronics, 383
- Zero-boil-off storage (*see* Liquefaction of gases)